

Capacity & Dimensions

24-hour Capacity	up to 2400 lb (1090 kg)	
Width	70"	1778 mm
Height	55"	1397 mm
Depth	44"	1118 mm
Weight	2200 lbs	1000 kg

Utility Usage

Water Consumption	about 100-150 gal (380-570 l.) / day	
Power Consumption	about 300-400 kilowatt hours / month	
Effluent Discharge	about 180-300 gal. (680-1130 l.) / day	

Utility Connections

- 1 Incoming Water, Power, Data
- 2 Effluent (to sewer line) - 2" OD, 1.5" NPT ID

Utility Requirements (by customer): Inlet Water - 90-110 degree F, 50-80 psi / Discharge - gravity flow or pump (optional) / Ethernet cable for Date Access (our Blue Cloud) / Power - 115 VC, 50 Hz or 110 VAC, 60 Hz



- Low profile, countertop work surface for optimal use of space
- Designed for large volume food waste generators
- Can process up to **2400 lbs (1090 kg)** of food waste per day
- Comes equipped with our BioHiTech cloud-based technology to reduce food waste generation



Reduce Food Waste with Data Analytics

Accurate real-time information eliminates the uncertainty about where food waste occurs, how much is being wasted and its associated value. Our Blue Cloud waste tracking technologies forecasts accurate supply chain and inventory needs, standardizes best practices for production, improves future planning for the prevention of waste, and tracks your carbon footprint and credits.

